

補足表4 慢性透析患者 年齢と性別, 2022

年齢	男性 (%)	女性 (%)	合計 (%)	記載なし	総計 (%)
5歳未満	24 (0.0)	29 (0.0)	53 (0.0)	0	53 (0.0)
5歳～	18 (0.0)	18 (0.0)	36 (0.0)	0	36 (0.0)
10歳～	16 (0.0)	9 (0.0)	25 (0.0)	0	25 (0.0)
15歳～	34 (0.0)	22 (0.0)	56 (0.0)	0	56 (0.0)
20歳～	111 (0.0)	65 (0.1)	176 (0.1)	0	176 (0.1)
25歳～	322 (0.1)	151 (0.1)	473 (0.1)	0	473 (0.1)
30歳～	832 (0.4)	373 (0.3)	1,205 (0.4)	0	1,205 (0.4)
35歳～	2,038 (0.9)	836 (0.7)	2,874 (0.9)	0	2,874 (0.9)
40歳～	4,217 (1.9)	1,678 (1.5)	5,895 (1.8)	0	5,895 (1.8)
45歳～	9,133 (4.1)	3,416 (3.1)	12,549 (3.7)	0	12,549 (3.7)
50歳～	15,248 (6.8)	5,794 (5.2)	21,042 (6.3)	0	21,042 (6.3)
55歳～	19,034 (8.5)	7,290 (6.5)	26,324 (7.9)	0	26,324 (7.9)
60歳～	22,164 (9.9)	9,295 (8.3)	31,459 (9.4)	0	31,459 (9.4)
65歳～	27,506 (12.3)	12,889 (11.5)	40,395 (12.1)	0	40,395 (12.1)
70歳～	40,341 (18.1)	20,224 (18.1)	60,565 (18.1)	0	60,565 (18.1)
75歳～	33,985 (15.2)	17,931 (16.0)	51,916 (15.5)	0	51,916 (15.5)
80歳～	26,734 (12.0)	15,711 (14.1)	42,445 (12.7)	0	42,445 (12.7)
85歳～	15,972 (7.2)	11,072 (9.9)	27,044 (8.1)	0	27,044 (8.1)
90歳～	4,633 (2.1)	4,219 (3.8)	8,852 (2.6)	0	8,852 (2.6)
95歳～	568 (0.3)	701 (0.6)	1,269 (0.4)	0	1,269 (0.4)
合計	222,930 (100.0)	111,723 (100.0)	334,653 (100.0)	0	334,653 (100.0)
不明	0	0	0	0	0
記載なし	0	0	0	0	0
総計	222,930	111,723	334,653	0	334,653
平均	69.08	71.43	69.87		69.87
標準偏差	12.49	12.56	12.56		12.56

(患者調査による集計)

補足表5 慢性透析患者 平均年齢の推移, 1983-2022

年	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
慢性透析患者 平均年齢	48.25	49.22	50.27	51.11	52.08	52.95	53.75	54.53	55.29	55.98	56.65	57.31	57.96	58.63	59.23	59.93	60.55	61.19	61.60	62.19
年	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
慢性透析患者 平均年齢	62.75	63.32	63.88	64.38	64.87	65.33	65.76	66.21	66.55	66.87	67.21	67.54	67.86	68.15	68.43	68.75	69.09	69.40	69.67	69.87

(患者調査による集計)

補足表6 慢性透析患者 年齢分布の推移, 1982-2022

年齢	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
～19歳	849	683	628	527	517	587	505	438	470	606	580	576	596	579	555	546	516	473	417	388	389
20～29歳	3,050	3,060	2,972	2,900	2,758	2,927	2,703	2,512	2,656	2,985	2,947	3,001	3,153	3,125	3,240	3,177	3,028	2,846	2,809	2,572	2,427
30～39歳	9,378	10,191	10,790	11,490	11,695	12,285	11,089	9,782	9,611	9,913	9,426	9,340	9,123	8,984	8,842	8,934	8,857	8,541	8,953	8,910	8,896
40～49歳	10,668	12,030	13,399	14,609	15,493	18,495	19,671	20,011	22,088	25,169	25,751	26,510	27,355	28,420	29,267	28,019	26,087	23,958	23,371	22,601	21,895
50～59歳	9,835	11,783	13,512	15,648	17,418	21,196	22,221	22,254	25,259	30,444	32,392	35,043	37,711	39,047	41,068	43,463	46,401	48,113	51,868	53,261	54,600
60～64歳	3,346	4,101	5,086	6,094	6,931	8,943	9,922	10,496	12,296	15,045	16,596	18,069	20,056	21,817	23,550	25,052	25,838	25,965	28,155	29,890	31,358
65～69歳	2,633	3,107	3,628	4,469	5,066	6,382	7,177	7,837	9,388	12,060	13,566	15,612	17,600	19,572	21,635	23,484	25,160	26,208	29,022	30,473	32,733
70～74歳	1,657	2,232	2,788	3,437	3,975	4,899	5,339	5,497	6,669	8,370	9,371	10,756	12,450	14,016	16,277	18,597	20,607	22,066	25,001	26,212	28,638
75～79歳	668	955	1,258	1,662	2,021	2,896	3,377	3,853	4,608	5,891	6,550	7,350	8,126	9,200	10,471	11,738	13,282	14,657	16,953	18,466	20,961
80～89歳	180	256	369	541	725	1,179	1,430	1,730	2,384	3,252	3,872	4,787	6,003	7,052	8,366	9,344	10,650	11,679	13,978	15,034	16,785
90歳～	2	4	10	12	14	43	52	62	68	92	124	181	219	313	354	473	599	724	933	984	1,284
年齢	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	
～19歳	308	274	253	227	232	215	215	179	183	215	210	226	207	188	171	156	155	143	154	170	
20～29歳	2,246	2,039	1,842	1,653	1,571	1,454	1,346	1,260	1,221	1,119	1,027	928	866	816	834	777	716	705	668	649	
30～39歳	8,860	8,681	8,228	8,371	8,235	7,960	7,687	7,312	7,009	6,674	6,251	5,789	5,459	5,206	4,891	4,721	4,458	4,352	4,235	4,079	
40～49歳	21,227	20,454	19,798	19,530	20,203	20,385	20,690	20,999	21,360	21,534	21,837	21,901	21,674	22,365	21,842	21,459	21,034	20,384	19,437	18,444	
50～59歳	55,504	55,390	55,779	56,711	55,424	52,730	49,874	47,261	45,802	44,593	43,933	43,263	43,064	43,195	44,003	44,661	45,472	46,539	46,953	47,366	
60～64歳	33,417	34,975	33,666	33,492	36,939	39,849	42,982	46,894	48,955	47,162	44,032	40,352	37,925	36,197	34,129	33,453	32,708	31,840	31,427	31,459	
65～69歳	33,747	34,759	35,290	37,469	39,521	41,922	43,932	43,160	42,203	45,664	49,118	52,259	55,981	58,289	55,199	52,064	48,274	45,558	42,883	40,395	
70～74歳	30,564	32,198	33,966	35,862	38,861	40,096	41,173	42,638	44,581	45,430	47,622	49,367	47,728	47,143	50,604	54,318	58,433	62,910	64,221	60,565	
75～79歳	23,248	25,272	26,767	28,552	31,638	33,565	35,605	37,951	39,700	41,255	41,937	42,251	43,032	45,215	46,053	48,836	51,316	49,961	48,330	51,916	
80～89歳	18,714	20,639	22,765	25,663	29,090	32,133	35,174	38,028	40,681	43,578	46,210	48,746	51,716	54,398	57,116	59,392	61,872	65,505	68,336	69,489	
90歳～	1,550	1,824	2,100	2,363	2,636	2,924	3,301	3,762	4,036	4,314	4,736	5,005	5,560	6,095	6,674	7,499	8,161	8,862	9,535	10,121	

(患者調査による集計)

補足表7 慢性透析患者 透析歴と性別, 2022

透析歴	男性 (%)	女性 (%)	合計 (%)	記載なし	総計 (%)
5年未満	108,655 (48.8)	47,766 (42.8)	156,421 (46.8)	0	156,421 (46.8)
5年～	58,051 (26.1)	27,715 (24.8)	85,766 (25.6)	0	85,766 (25.6)
10年～	27,371 (12.3)	14,482 (13.0)	41,853 (12.5)	0	41,853 (12.5)
15年～	13,191 (5.9)	8,511 (7.6)	21,702 (6.5)	0	21,702 (6.5)
20年～	7,320 (3.3)	5,684 (5.1)	13,004 (3.9)	0	13,004 (3.9)
25年～	4,122 (1.9)	3,450 (3.1)	7,572 (2.3)	0	7,572 (2.3)
30年～	2,218 (1.0)	2,108 (1.9)	4,326 (1.3)	0	4,326 (1.3)
35年～	1,113 (0.5)	1,165 (1.0)	2,278 (0.7)	0	2,278 (0.7)
40年～	712 (0.3)	742 (0.7)	1,454 (0.4)	0	1,454 (0.4)
合計	222,753 (100.0)	111,623 (100.0)	334,376 (100.0)	0	334,376 (100.0)
不明	176	98	274	0	274
記載なし	1	2	3	0	3
総計	222,930	111,723	334,653	0	334,653
平均	6.91	8.48	7.43		7.43
標準偏差	7.24	8.62	7.76		7.76

(患者調査による集計)

最長透析歴	52年1か月
-------	--------

補足表8 慢性透析患者 透析歴分布の推移, 1988-2022

透析歴	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
～4年	47,087	46,617	52,327	63,584	65,835	71,547	77,690	82,757	89,049	93,402	97,230	99,120	106,993	107,803	113,075	117,116	120,159	121,803
5～9年	22,423	22,238	24,472	27,709	29,775	31,340	33,162	35,145	37,524	39,781	42,163	43,365	47,792	50,888	53,766	56,169	58,357	59,295
10～14年	11,783	12,285	13,704	15,418	16,438	17,102	18,228	18,934	19,820	20,604	21,052	21,150	22,826	24,050	25,376	26,710	27,738	28,550
15～19年	2,441	3,485	5,089	6,974	8,429	9,479	10,436	11,142	11,755	12,193	12,600	12,594	13,199	13,765	14,206	14,463	14,453	14,605
20～24年	28	95	242	566	1,170	2,001	3,035	4,202	5,364	6,308	6,952	7,342	8,024	8,450	8,765	8,992	9,034	8,838
25年～	0	0	0	2	8	23	75	193	448	874	1,485	2,114	3,076	4,080	5,008	5,996	6,865	7,422

  

透析歴	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
～4年	124,576	130,708	133,827	136,934	139,371	141,076	143,360	145,064	146,085	148,017	150,706	152,416	155,367	158,123	159,691	158,720	156,421
5～9年	62,117	66,076	68,617	71,251	73,320	75,073	75,991	77,197	77,862	77,801	79,145	79,590	81,119	82,416	84,239	84,961	85,766
10～14年	30,318	32,270	33,696	35,074	36,338	37,588	38,547	39,490	40,032	40,060	40,556	40,397	40,868	41,413	41,750	41,479	41,853
15～19年	15,419	16,472	17,265	18,111	18,852	19,534	20,238	20,874	21,213	21,555	22,094	22,239	22,358	22,380	22,275	21,996	21,702
20～24年	9,252	9,603	9,815	9,876	10,335	10,629	11,015	11,421	11,802	12,031	12,484	12,536	12,746	12,952	13,088	13,069	13,004
25年～	8,275	9,227	10,017	10,750	11,233	11,835	12,307	12,766	13,028	13,360	13,829	14,133	14,596	15,016	15,484	15,701	15,630

(患者調査による集計)

補足表9 慢性透析患者 原疾患と性別, 2022

原疾患	男性 (%)	女性 (%)	合計 (%)	記載なし	総計 (%)
慢性糸球体腎炎	49,085 (22.0)	31,171 (27.9)	80,256 (24.0)	0	80,256 (24.0)
慢性腎盂腎炎	835 (0.4)	844 (0.8)	1,679 (0.5)	0	1,679 (0.5)
間質性腎炎	490 (0.2)	572 (0.5)	1,062 (0.3)	0	1,062 (0.3)
急速進行性糸球体腎炎	1,638 (0.7)	1,717 (1.5)	3,355 (1.0)	0	3,355 (1.0)
その他の分類不能の腎炎	789 (0.4)	513 (0.5)	1,302 (0.4)	0	1,302 (0.4)
多発性嚢胞腎	6,853 (3.1)	5,634 (5.0)	12,487 (3.7)	0	12,487 (3.7)
遺伝性疾患	594 (0.3)	341 (0.3)	935 (0.3)	0	935 (0.3)
腎硬化症	30,915 (13.9)	13,996 (12.5)	44,911 (13.4)	0	44,911 (13.4)
悪性高血圧	2,121 (1.0)	873 (0.8)	2,994 (0.9)	0	2,994 (0.9)
妊娠高血圧症候群	1 (0.0)	1,156 (1.0)	1,157 (0.3)	0	1,157 (0.3)
糖尿病性腎症	96,363 (43.2)	35,846 (32.1)	132,209 (39.5)	0	132,209 (39.5)
自己免疫性疾患に伴う腎炎	602 (0.3)	1,268 (1.1)	1,870 (0.6)	0	1,870 (0.6)
アミロイドーシスによる腎障害	189 (0.1)	229 (0.2)	418 (0.1)	0	418 (0.1)
痛風腎	843 (0.4)	144 (0.1)	987 (0.3)	0	987 (0.3)
腎・尿路結核	62 (0.0)	63 (0.1)	125 (0.0)	0	125 (0.0)
ウイルス感染症に伴う腎疾患	80 (0.0)	38 (0.0)	118 (0.0)	0	118 (0.0)
腎・尿路結石	408 (0.2)	239 (0.2)	647 (0.2)	0	647 (0.2)
腎・尿路腫瘍	878 (0.4)	265 (0.2)	1,143 (0.3)	0	1,143 (0.3)
閉塞性尿路障害・排尿障害	605 (0.3)	258 (0.2)	863 (0.3)	0	863 (0.3)
パラプロテイン血症(骨髄腫等)	140 (0.1)	92 (0.1)	232 (0.1)	0	232 (0.1)
急性腎障害	464 (0.2)	295 (0.3)	759 (0.2)	0	759 (0.2)
外因性腎障害	424 (0.2)	231 (0.2)	655 (0.2)	0	655 (0.2)
先天性腎尿路異常	395 (0.2)	232 (0.2)	627 (0.2)	0	627 (0.2)
原疾患不明	20,525 (9.2)	11,383 (10.2)	31,908 (9.5)	0	31,908 (9.5)
移植後再導入	1,446 (0.6)	795 (0.7)	2,241 (0.7)	0	2,241 (0.7)
その他	6,172 (2.8)	3,522 (3.2)	9,694 (2.9)	0	9,694 (2.9)
合計	222,917 (100.0)	111,717 (100.0)	334,634 (100.0)	0	334,634 (100.0)
記載なし	13	6	19	0	19
総計	222,930	111,723	334,653	0	334,653

(患者調査による集計)

補足表 10 慢性透析患者 原疾患割合の推移, 1983-2022

原疾患	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
糖尿病性腎症	7.4	8.4	9.4	10.5	11.7	12.8	14.0	14.9	16.4	17.1	18.2	19.2	20.4	21.6	22.7	24.0	25.1	26.0	27.2	28.1
慢性糸球体腎炎	74.5	72.1	72.3	70.6	69.4	67.9	65.9	64.1	61.7	60.4	58.8	57.7	56.6	55.4	54.1	52.5	51.1	49.7	49.6	48.2
腎硬化症	1.5	1.7	1.9	2.0	2.1	2.1	2.3	2.6	2.9	3.1	3.4	3.6	3.8	4.0	4.2	4.4	4.5	4.8	5.0	5.1
多発性嚢胞腎	2.7	2.9	3.0	3.1	3.1	3.2	3.2	3.3	3.3	3.3	3.3	3.2	3.2	3.2	3.2	3.2	3.2	3.2	3.3	3.3
慢性腎盂腎炎, 間質性腎炎	3.1	3.3	2.6	2.4	2.4	2.3	2.2	2.2	2.1	2.0	1.9	1.8	1.7	1.6	1.6	1.5	1.5	1.4	1.4	1.3
急速進行性糸球体腎炎	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	0.6
自己免疫性疾患に伴う腎炎	0.8	0.8	0.9	0.9	0.9	0.9	0.9	1.0	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.0	1.0	1.0
不明	2.2	2.3	2.3	2.5	2.6	2.5	2.6	2.6	2.9	2.9	2.9	3.1	3.2	3.6	3.9	4.2	4.4	5.0	5.6	5.9
原疾患	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
糖尿病性腎症	29.2	30.2	31.4	32.3	33.4	34.2	35.1	35.9	36.7	37.1	37.6	38.1	38.4	38.8	39.0	39.0	39.1	39.5	39.6	39.5
慢性糸球体腎炎	46.6	45.1	43.6	42.2	40.4	39.0	37.6	36.2	34.8	33.6	32.4	31.3	29.8	28.8	27.8	26.8	25.7	25.3	24.6	24.0
腎硬化症	5.3	5.7	5.9	6.2	6.5	6.8	7.1	7.5	7.9	8.3	8.7	9.1	9.5	9.9	10.3	10.8	11.4	12.1	12.8	13.4
多発性嚢胞腎	3.3	3.4	3.3	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.5	3.5	3.6	3.6	3.6	3.6	3.6	3.7	3.7	3.7
慢性腎盂腎炎, 間質性腎炎	1.3	1.3	1.2	1.2	1.2	1.1	1.1	1.1	1.0	1.0	1.0	1.0	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8
急速進行性糸球体腎炎	0.6	0.6	0.6	0.6	0.7	0.7	0.7	0.7	0.7	0.8	0.8	0.8	0.8	0.8	0.9	0.9	0.9	1.0	1.0	1.0
自己免疫性疾患に伴う腎炎	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.6	0.6	0.6	0.6	0.6
不明	6.3	6.4	6.6	7.0	7.4	7.6	7.7	8.0	8.2	8.5	8.7	8.9	9.5	9.8	10.2	10.7	11.1	10.2	9.7	9.5

(患者調査による集計)

補足表 11 慢性透析患者 死亡原因と性別, 2022

死因	男性 (%)	女性 (%)	合計 (%)	記載なし	総計 (%)
心不全	5,011 (20.5)	2,660 (21.9)	7,671 (21.0)	0	7,671 (21.0)
脳血管障害	1,283 (5.2)	698 (5.8)	1,981 (5.4)	0	1,981 (5.4)
感染症	5,730 (23.4)	2,550 (21.0)	8,280 (22.6)	0	8,280 (22.6)
消化管出血	316 (1.3)	185 (1.5)	501 (1.4)	0	501 (1.4)
悪性腫瘍	2,069 (8.5)	717 (5.9)	2,786 (7.6)	0	2,786 (7.6)
悪液質/尿毒症/老衰等	1,383 (5.7)	1,227 (10.1)	2,610 (7.1)	0	2,610 (7.1)
心筋梗塞	858 (3.5)	337 (2.8)	1,195 (3.3)	0	1,195 (3.3)
カリウム中毒/頓死	444 (1.8)	187 (1.5)	631 (1.7)	0	631 (1.7)
肝硬変症	163 (0.7)	61 (0.5)	224 (0.6)	0	224 (0.6)
自殺/拒否	173 (0.7)	69 (0.6)	242 (0.7)	0	242 (0.7)
腸閉塞	189 (0.8)	146 (1.2)	335 (0.9)	0	335 (0.9)
血液疾患	89 (0.4)	60 (0.5)	149 (0.4)	0	149 (0.4)
肺疾患	665 (2.7)	207 (1.7)	872 (2.4)	0	872 (2.4)
災害・事故死	114 (0.5)	42 (0.3)	156 (0.4)	0	156 (0.4)
その他	2,627 (10.7)	1,577 (13.0)	4,204 (11.5)	0	4,204 (11.5)
不明	3,353 (13.7)	1,403 (11.6)	4,756 (13.0)	0	4,756 (13.0)
合計	24,467 (100.0)	12,126 (100.0)	36,593 (100.0)	0	36,593 (100.0)
記載なし	47	25	72	0	72
総計	24,514	12,151	36,665	0	36,665

(患者調査による集計)

補足表 12 慢性透析患者 死亡原因割合の推移, 1983-2022

死因	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
心不全	30.3	30.5	31.3	33.2	32.7	36.5	33.4	30.4	30.5	31.1	29.9	28.2	25.4	24.1	23.9	24.1	24.3	23.2	25.5	25.1
感染症	11.0	11.5	11.5	12.0	12.0	12.2	11.7	11.6	12.1	11.3	12.2	12.6	13.8	14.6	14.9	15.0	16.3	16.6	16.3	15.9
脳血管障害	14.2	15.4	14.2	14.0	14.2	12.9	13.2	13.9	13.7	13.6	13.5	14.1	13.5	12.9	12.6	12.1	11.3	11.3	11.6	11.2
悪性腫瘍	7.7	6.9	6.4	6.9	5.8	6.9	7.6	8.2	7.6	7.1	7.4	7.3	7.2	7.7	8.1	7.7	7.6	8.3	8.5	8.5
心筋梗塞	5.3	4.8	5.3	6.1	6.0	5.4	5.3	5.8	5.8	5.8	5.7	7.1	7.5	7.4	8.4	7.9	7.4	7.0	7.4	7.4

  

死因	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
心不全	25.0	25.1	25.8	24.9	24.0	23.7	23.6	27.0	26.6	27.2	26.8	26.3	26.0	25.7	24.0	23.5	22.7	22.4	22.4	21.0
感染症	18.5	18.8	19.2	19.9	18.9	19.9	20.7	20.3	20.3	20.4	20.8	20.9	22.0	21.9	21.1	21.3	21.5	21.5	22.0	22.6
脳血管障害	10.7	10.6	9.8	9.4	8.9	8.6	8.4	8.1	7.7	7.5	7.2	7.1	6.6	6.5	6.0	6.0	5.7	5.9	5.6	5.4
悪性腫瘍	8.5	9.0	9.0	9.2	9.2	9.2	9.4	9.8	9.1	9.1	9.4	9.0	9.3	9.7	9.0	8.4	8.7	9.0	8.4	7.6
心筋梗塞	6.2	5.4	5.1	4.4	4.4	4.1	4.0	4.7	4.6	4.5	4.3	4.3	4.3	3.9	3.8	3.6	3.9	3.8	3.5	3.3

(患者調査による集計)

補足表 13 慢性透析患者 粗死亡率の推移, 1983-2022

年	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002
粗死亡率(%)	9.0	8.9	9.1	9.0	8.5	9.2	7.9	9.6	8.9	9.7	9.4	9.5	9.7	9.4	9.4	9.2	9.7	9.2	9.3	9.2

  

年	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022
粗死亡率(%)	9.3	9.4	9.5	9.2	9.4	9.8	9.6	9.8	10.2	10.0	9.8	9.7	9.6	9.7	9.8	10.0	10.1	9.9	10.4	11.0

(施設調査による集計)

補足表 14 導入患者 年齢と性別, 2022

年齢	男性 (%)	女性 (%)	合計 (%)	記載なし	総計 (%)
5歳未満	8 (0.0)	5 (0.0)	13 (0.0)	0	13 (0.0)
5歳～	4 (0.0)	4 (0.0)	8 (0.0)	0	8 (0.0)
10歳～	7 (0.0)	1 (0.0)	8 (0.0)	0	8 (0.0)
15歳～	11 (0.0)	13 (0.1)	24 (0.1)	0	24 (0.1)
20歳～	32 (0.1)	16 (0.1)	48 (0.1)	0	48 (0.1)
25歳～	79 (0.3)	32 (0.3)	111 (0.3)	0	111 (0.3)
30歳～	140 (0.5)	76 (0.7)	216 (0.6)	0	216 (0.6)
35歳～	276 (1.1)	118 (1.0)	394 (1.1)	0	394 (1.1)
40歳～	530 (2.1)	169 (1.5)	699 (1.9)	0	699 (1.9)
45歳～	975 (3.8)	333 (3.0)	1,308 (3.5)	0	1,308 (3.5)
50歳～	1,481 (5.7)	522 (4.6)	2,003 (5.4)	0	2,003 (5.4)
55歳～	1,647 (6.4)	561 (5.0)	2,208 (6.0)	0	2,208 (6.0)
60歳～	1,937 (7.5)	653 (5.8)	2,590 (7.0)	0	2,590 (7.0)
65歳～	2,623 (10.2)	1,030 (9.2)	3,653 (9.9)	0	3,653 (9.9)
70歳～	4,370 (16.9)	1,704 (15.1)	6,074 (16.4)	0	6,074 (16.4)
75歳～	4,196 (16.3)	1,870 (16.6)	6,066 (16.4)	0	6,066 (16.4)
80歳～	4,039 (15.7)	1,968 (17.5)	6,007 (16.2)	0	6,007 (16.2)
85歳～	2,639 (10.2)	1,561 (13.9)	4,200 (11.3)	0	4,200 (11.3)
90歳～	717 (2.8)	543 (4.8)	1,260 (3.4)	0	1,260 (3.4)
95歳～	74 (0.3)	75 (0.7)	149 (0.4)	0	149 (0.4)
合計	25,785 (100.0)	11,254 (100.0)	37,039 (100.0)	0	37,039 (100.0)
不明	0	0	0	0	0
記載なし	0	0	0	0	0
総計	25,785	11,254	37,039	0	37,039
平均	70.76	72.92	71.42		71.42
標準偏差	13.30	13.54	13.41		13.41

(患者調査による集計)